

THS 21 SERIES




Fully HACCP

MULTI-SPECTRUM INDUSTRIAL

METAL DETECTORS

KEY FEATURES

- UNIQUE DETECTION CAPABILITY of magnetic, non-magnetic and stainless steel metal contaminants
- **EXTREMELY HIGH ADAPTABILITY** to any product to be inspected
- FDA 21 CFR PART 11 COMPLIANT
 - Data Security
 - Data Integrity
 - Data Traceability
- **RUGGED AISI 316L** stainless steel construction and food-compatible plastic parts (EU, FDA COMPLIANT)
- **SUPERIOR WASHDOWN** CONSTRUCTION



THS/MS21: MULTI-SPECTRUM TECHNOLOGY FOR EXTREME COMPENSATION OF THE PRODUCT EFFECT







†



THS/21 • THS/MS21

METAL DETECTORS SERIES WITH MULTI-SPECTRUM TECHNOLOGY

KEY FEATURES

- Ultra high sensitivity to all magnetic and non-magnetic metals, including stainless steel
- Multi-Spectrum Technology for extreme compensation of the product effect (MS21 version)
- High immunity to environmental interference
- AISI 316L stainless steel construction to IP66 and IP69K protection levels
- Control Panels listed according to UL 508A and CSA-C22.2 No. 14-05
- Automatic learning & tracking of product effect
- 500 product data memories, selectable by local programming or network software
- 10.000 storable events
- Quick Access key for fast programming of user parameters



THS/SL21 and THS/SLMS21:

Slim Line Metal Detector for applications in limited space.

MULTI-SPECTRUM TECHNOLOGY (MS21 VERSION)

Exclusively developed by CEIA, this is a **unique metal detection technology that both optimises sensitivity** to all metal contaminants and **minimizes product effect** in a very wide range of possible products.

By recognizing the different frequency response of conductive products and metals, this innovative technology cancels product effect and maintains high performance levels for all types of metal contaminants, both magnetic and non-magnetic.

The autolearn function used by CEIA Multi-Spectrum Metal Detectors equates to the repetition of hundreds of conventional transits. It explores the whole spectrum of available frequency bands in order to determine the best operating conditions resulting in unique detection performance.



THS/G21

METAL DETECTORS SERIES FOR

FREE-FALL OR PIPE LINE APPLICATIONS

GENERAL DESCRIPTION

- ✓ The THS/G21 series is designed to inspect powders, granules and other loose materials transported in free-fall through tubes and pipelines.
- When fitted with a deflector, the THS/G21 becomes a system that detects and removes any contaminating metals, both magnetic and non-magnetic.
- ✓ Alternatively, when mounted on a packaging machine, the THS/G21 system is able to send a command to produce a double bag around the contaminated product. This can later be identified and removed from the production cycle automatically.
- Digital analysis of the signal provided by the antenna allows extremely **high levels of sensitivity, immunity to interference** and operational stability to be achieved.
- ✓ The very high detection speed of the THS/G21 allows the contaminated portion of product to be removed without slowing down the production flow.
- The system is designed to **communicate with external control systems**, either connected directly or via a communications network.



THS/G21-F series with Reduced Metal Free Zone for limited space installations, while maintaining optimal detection of all metals.



CONTROL POWER BOX







CEIA THS/21 Metal Detection Systems offer detection, construction quality and reliability characteristics that make them the most suitable and effective solution to automatic elimination of metal contaminants.

Fully HACCP and GMP compliant, CEIA Metal Detectors are manufactured according to ISO 9001 certified Quality System using EC and FDA approved materials.

FDA 21 PART 11 COMPLIANT

The THS 21 Metal Detector Series is a high-sensitivity, highprecision measuring instrument. The data relating to each detection and ejection are stored in an events memory and certify production quality, the inspection itself and programming operations, as well as the periodic functional test phases using standard test samples.

FDA Code Title 21 Part 11 prescribes rigorous criteria for access to programming and computer data protection which have been fully adopted in the CEIA THS 21 Series firmware.

The requirements regarding Security, Integrity and Traceability are therefore satisfied.





www.ceia.net



EXCLUSIVE AUTO-LEARN SYSTEM

The THS 21 Series employs an exclusive Auto-Learn system for food products which provides simultaneous maximum sensitivity to all metals starting from a single learning transit.

The system allows optimization of the detection sensitivity to all metals with the maximum speed and precision, equivalent to hundreds of conventional learning transits: these results in levels of precision and efficiency have never been obtained before.

For products with changing or varying product signal after autolearn, the THS 21 Series includes an advanced autolearn function that runs in the background, to capture this product signal during normal production while still detecting metal. When the recording is ended, the operator has the option to analyze the data immediately, or wait until a later time when the line is stopped so as not to interrupt production.

The data that was added during the background autolearn is analyzed, along with the original autolearn data, and the detection parameters are modified in order to also cancel the varying product signal.

REAL-TIME EMBEDDED SELF-CALIBRATION CONTROL


The Self-Calibration control allows maximum repeatability and performance consistency over time and with environmental changes. By means of specific signals sent to the transmission and reception chain of the Metal Detector, constant monitoring of the detection characteristics is carried out, with consequent constant compensation for any variations caused by environmental factors. The result is system stability and constancy in detection performance and product effect neutralization.

AUTOMATIC VERIFICATION OF THE INSTALLATION QUALITY AND ENVIRONMENTAL COMPATIBILITY

THS 21 Series introduces new tools for the installation and maintenance technicians which allow them to measure the environmental compatibility of the Metal Detector.

The measurements include general mechanical and electromagnetic environmental compatibility, specific electromagnetic compatibility and the automatic examination of the degree of metal interference from the conveyor belt.

This latter function becomes even more important when the high level of sensitivity of the THS 21 Metal Detector Series is taken into consideration.



MODERN, RUGGED AND USER FRIENDLY INTERFACE

KEY FEATURES

- Industrial rate design
- Rapid data entry with extended keyboard
- Easy to read, high-contrast graphic display
- Rugged, antivandalic stainless steel keyboard
 Organic graph display with extremely high contrast (3000:1) and a viewing angle up to 180°, and an extended alphanumeric keypad for quick keystrokes.
- Quick Access Function
 - A new function, activated simply by pressing a dedicated key, allows the most frequently-used functions to be directly recalled. These functions are programmable by the operator.
- Large Product Memory: 500 entries with easy alphabetical sorting and pattern matching



THS PRODUCTION 4.0

ENABLING INDUSTRY 4.0

The THS Production 4.0 software provides acquisition and report capability for THS 21 Metal Detection Systems

SMART FACTORY

- ✓ CEIA-ERP API interface for communication to the factory management software (Microsoft Dynamics NAV, SAP, ORACLE ERP)
- OPC-UA protocol API for Metal Detector Monitor and Control
- Connection to an External Database and Definition of a Programmable Block of SQL Instructions for each Metal Detector Event
- Compatible with standard SCADA Systems
- E-mail sender for Metal Detector events
- Integrated Web-Server Appliance for real-time monitoring for HMI and touch panel


PREDICTIVE MAINTENANCE

- Data Inspector Tool for signal and production analysis (enhanced option)
- Early Metal Explosion identification



THS PRODUCTION 4.0 HIGHLIGHTS

- ✓ Connects and Acquires Data from Multiple THS Detectors via wired or wireless LAN (requires IXC module)
- Enables Data Base Management and Back-Up of Metal Detector events
- Report Data Exportable in HTML, CSV and PDF formats
- Provides User Authentication and Manages Electronic Signatures and Records
- Allows Data Integrity and Operator Auditing
- FDA Requirements Compliant, Title 21 of the Code of Federal Regulations (CFR)
- High performance 64-bit database that handles more than 500 millions events



SOPHISTICATED INTERFACE CAPABILITIES

NETWORK COMMUNICATION

The Metal Detector can be linked to an Ethernet network (optional IXC module required).

In association with the THS Production Plus Software it enables remote management of production, collection of all technical and operational events, generation of statistical and traceability reports in compliance with FDA 21 CFR part 11 requirements.

BT CONNECTIVITY



In the THS/21 Series, local connection to the maintenance technician's computer no longer requires physical access to the interior of the detector or the use of unwieldy connection cables.


The BT connection can be used for programming, monitoring of the signals via the CEIA MD-Scope program and the transfer of the data contained in the Metal Detector's events memory.

MD-SCOPE

Software Diagnostic Package complete with connecting cable and hardware key:

- REMOTE PROGRAMMING
- INPUT/OUTPUT SIGNALS
- DETECTED AND ALARM SIGNALS
- OSCILLOSCOPE FUNCTIONALITIES

EXAMPLE OF SIGNAL DURING TEST



IXC MODULE ADVANCED CONNECTIVITY










ETH / WI-FI	USB	INTERFACES
~		BUILT-IN MD SCOPE - Metal Detector signal and remote programming terminal
~		STATUS - Replicates every message displayed by the THS (updated each 5 s)
~		PRODUCTS Displays the list of products stored into the THS memory, the selected product is shown in green. This page allows the product to be changed
~	~	PRODUCTS EXPORT Allows selection of all or part of the products stored in the THS memory in order to export them
~	~	PRODUCTS IMPORT - Allows importation of all or part of the products exported
~	~	BUFFER EXPORT - Allows exportation of events occurred in a selected time frame
~	~	CONFIGURATION BACKUP/RESTORE Backup and restoring of the Metal Detector configuration
~	~	CONFIGURATION EXPORT/IMPORT Allows the configuration to be exported or imported from other Metal Detectors of the same model, installed on the same line
~		HMI emulation by VNC client
		EtherNet/IP interface (optional)



AUTOTEST AND **AUTO-QC™ TEST** FUNCTIONS

Industrial Metal Detectors for food application are usually equipped with basic diagnostic functions based on their emitter/receiver signals monitoring.

This type of diagnosis is not able to detect aging as well as thermal drift and other sources of minor deviations. Any of the above may result on a sensitivity reduction that could lead to non-detection of metal contamination.

THS/21 & THS/MS21 SERIES METAL DETECTORS ARE NATIVELY EQUIPPED WITH AN **ADVANCED AUTOTEST FUNCTION** ENSURING THE FOLLOWING FEATURES:

✓ CONTINUOUS BACKGROUND
REAL-TIME MONITORING
and STABILIZATION
of the amplitude and phase
response for each working frequency

- ✓ CONTINUOUS COMPENSATION of environmental and age-related changes
- IMMEDIATE ALERTING in case of permanent out of standard conditions












In addition to the AUTOTEST function, THS/21 and THS/MS21 detectors can be programmed so that **periodic verifications of the calibration are carried out automatically. This feature is called AUTO-QC[™] TEST.**

Recorded calibration references allow for accurate and repetitive control signals for the metal detector's transmit/receive chain and analysis.

AUTO-QC™ TEST EXAMPLE

- ✓ At 11:00 a first manual test is requested during which the Metal Detector records the signals of the three Customer Test Samples.
- At 12:00 and 13:00 the Metal Detector performs two AUTO-QC™ TESTS, providing the previously recorded signal stimuli to the probe-emitter-receiver system.
- ✓ At 14:00 another manual test is requested according to the schedule.



Graph showing time on the x-axis and the signal recorded by the Metal Detector and the status of the sensors/ejector on the y-axis.

AUTO-QC™ BENEFITS

- ✓ The AUTO-QC TEST allows the manual verification of calibration by the operator to be reduced or eliminated
- ✓ The METAL DETECTOR provides a programmable output that can be connected to the conveyor line stop
 during the AUTO-QC test to avoid product ejection and waste during automatic test
- ✓ CEIA AUTO-QC TEST provides an effective calibration check along with a programmable 0 ÷ 100 % reduction of the manual verifications, resulting in a corresponding reduction of:
 - LABOUR COST
 - ACCIDENTAL PRODUCT CONTAMINATION
 - PRODUCT WASTE



CEIA - Zona Industriale 54, 52041 Viciomaggio - Arezzo (ITALY)







