APSi*M2Plus*

Integrated Web-server & Logger

MONITOR

CONTROL

REPORT

- Monitor the status of Metal Detector network in real time from anywhere

- Remotely control and verify the security level across all of checkpoints instantly

- Report on number of people screened and alarm rates automatically

- No server or specialized client software required, all you need is a browser

- Optional zero configuration network for simple setup

Ceia® USA

www.ceia-usa.com

Threat Detection through Electromagnetics

APSiM2Plus Advanced Power Supply and Interface Module

- **Ethernet 100base-TX connection from bottom and ceiling**
- **USB host and device interface**
- **RS-232 interface**
- **Zero Configuration Networking (Zeroconf)**

The **APSiM2Plus** is an easy to install upgrade module that adds networking capability to Metal Detector. Centrally monitor one or more detectors to guarantee they are operational and are set to the appropriate security level for the current threat. Quickly adjust the security level as conditions change without notifying local staff or visiting every metal detector. Remotely control critical parameters and create detailed transit and alarm reports automatically.

The **APSiM2Plus** module allows you to protect and manage your checkpoint better while saving labor hours in the process.

Panel type

RS-232 · USB · MICRO USB · ANTI-TAMPER ON/OFF SWITCH · POWER SUPPLY · ETHERNET INTERFACE

Part # APSiM2Plus/P

Column type

USB · MICRO USB · POWER SUPPLY · ETHERNET INTERFACE · ANTI-TAMPER ON/OFF SWITCH · RS-232

Part # APSiM2Plus/E

MONITOR

REPORT

CEIA USA Ltd - 9155 Dutton Drive, Twinsburg, OH 44087
Phone: (330) 405 3190 - Fax (330) 405 3196 - e-mail: security@ceia-usa.com

DP060K0049V1US-58793

APS*i*M2Plus

Integrated Web-server & Logger

MONITOR

CONTROL

REPORT

- ■ Without need of added software on your PC or additional Server

- ■ Monitor Walk-Through Metal Detector status

- ■ Monitor Flows in each checkpoint

- ■ Set / verify Security Levels

- ■ Remote Management of the Metal Detector parameters

- ■ Automated Reporting of networked Metal Detectors Data

- ■ Zero Configuration Networking

CEIA ® *USA*

Threat Detection through Electromagnetics

# APSiM2Plus Advanced Power Supply and Interface Module

- **Ethernet 100base-TX connection from bottom and ceiling**

- **USB host and device interface**

- **RS-232 interface**

- **Zero Configuration Networking (Zeroconf)**

Panel type

RS-232
USB
MICRO USB
ANTI-TAMPER ON/OFF SWITCH
POWER SUPPLY
ETHERNET INTERFACE

Part # APSiM2Plus/P

Column type

USB
MICRO USB
POWER SUPPLY
ETHERNET INTERFACE
ANTI-TAMPER ON/OFF SWITCH
RS-232

Part # APSiM2Plus/E

MONITOR

REPORT

CEIA USA Ltd - 9155 Dutton Drive, Twinsburg, OH 44087
Phone: (330) 405 3190 - Fax (330) 405 3196 - e-mail: security@ceia-usa.com

DP060K0049V1US

www.ceia-usa.com   Call Toll-Free 888-532-CEIA